

VU Research Portal

Strategies to Hunt for New Physics with Strange Beauty Mesons

Knegjens, R.

2014

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Knegjens, R. (2014). *Strategies to Hunt for New Physics with Strange Beauty Mesons*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

1	Introduction	1
2	Technology	7
2.1	Quark flavour mixing and CP violation	7
2.2	Operator product expansion for weak decays	13
2.3	Factorising hadronic matrix elements	18
2.4	Flavour symmetries	25
3	Observables of the B_s meson system	31
3.1	The B_s meson system	31
3.2	Time-dependent observables	40
3.2.1	To tag or not to tag	41
3.2.2	CP-eigenstate final states	43
3.3	Effective lifetimes	45
3.3.1	Single exponential fit	45
3.3.2	Lifetime contours in the ϕ_s - $\Delta\Gamma_s$ plane	46
3.4	Branching ratios	48
3.5	Experimental considerations	50
4	Extracting CKM angles from penguins or trees	55
4.1	Introduction	55
4.2	Extracting γ with penguin topologies: $B_s \rightarrow K^+ K^-$	56
4.2.1	Amplitudes	57
4.2.2	Early determination of γ	59
4.2.3	Mass-eigenstate rate asymmetry	62
4.2.4	Mixing-induced CP violation	66
4.2.5	Optimal determination of γ	67
4.3	Extracting γ from tree topologies: $B_s \rightarrow D_s^{(*)} K$	68

4.3.1	Untagged observables	71
4.3.2	Estimating the hadronic parameters	74
4.3.3	Extraction of $\phi_s + \gamma$ and discrete ambiguities	78
4.3.4	Experimental prospects	80
4.4	Conclusions	83
5	An exploration of $B_s \rightarrow J/\psi s\bar{s}$	85
5.1	Introduction	85
5.2	The $f_0(980)$ as an $s\bar{s}$ state	86
5.2.1	The hadronic structure of the $f_0(980)$	87
5.2.2	Amplitude structure	91
5.2.3	The effective lifetime	97
5.2.4	Mixing-induced CP asymmetry	100
5.2.5	The $B_d^0 \rightarrow J/\psi f_0(980)$ channel	102
5.3	η and η' as $s\bar{s}$ states	111
5.3.1	η - η' mixing	112
5.3.2	Observables	113
5.3.3	Control channels	116
5.3.4	Determining the η - η' mixing parameters	118
5.4	Effective lifetime constraints	120
5.4.1	Constraints from current and future data	120
5.4.2	Further promising B_s decays	123
5.5	Conclusions	124
6	Decay-time profile of a rare decay	127
6.1	Introduction	127
6.2	Observables of $B_s \rightarrow \mu^+\mu^-$	128
6.2.1	Decay amplitudes	128
6.2.2	Time-dependent rates	134
6.2.3	The branching ratio	135
6.3	Constrained scenarios and their phenomenology	137
6.3.1	Preliminaries	137
6.3.2	Scenario A: $S = 0$	138
6.3.3	Scenario B: $P = 1$	139
6.3.4	Scenario C: $P \pm S = 1$	141
6.3.5	Scenario D: $\varphi_P, \varphi_S \in \{0, \pi\}$	143
6.3.6	Summary	144

6.4	Specific models and constraints from B_s mixing	145
6.4.1	Constraints from B_s mixing	145
6.4.2	Gauge boson exchange	148
6.4.3	(Pseudo)Scalar exchange	152
6.4.4	Scalar and pseudoscalar exchange	157
6.5	Conclusions	162
7	Summary and outlook	165
A	Decoupled two-Higgs doublet models	169
	Bibliography	179
	Lay summary	195
	Nederlandse samenvatting	203
	Acknowledgements	211